

What Are Your Focus, Memory & Sleep Symptoms Trying to Tell You?

Your Layered, Blended & Whole-Person Nutritional Supplement Support Companion Guide

A warm word before you begin

If your mind feels scattered, your memory feels less dependable, or sleep no longer restores you, it is understandable to feel frustrated, or frightened. These changes are real. They can affect productivity, confidence, relationships, mood, and the sense that you can rely on your own brain.

You are not lazy, weak, or failing.

Focus, memory, and sleep often behave like three rooms connected by the same hallway. Poor sleep can make it harder to concentrate and store memories. Stress can keep the brain on alert when it needs to settle, then drain mental energy the next day. Blood-sugar swings, gut disruption, inflammation, nutrient insufficiency, medication effects, hormonal changes, pain, post-viral illness, and breathing interruptions during sleep can all add noise to the same system.

This guide does not assume that one product, or even one body system, explains everything. It is designed to help build a small, thoughtful plan around the pattern your assessment revealed.

The goal is not the biggest supplement stack. The goal is the smallest plan that is specific enough to help, safe enough to use, and simple enough to follow.

All products below are available through NutriDyn. Visit [NutriDyn Profile](#) to create an account and order products. Secoya Health's practitioner code is **102828**. Enter this when creating your patient account.

How to use this guide

Start with your assessment result

Your assessment organizes symptoms into three primary signals:

- **The Scattered Focus Pattern:** Attention, task initiation, organization, mental stamina, or distractibility is demanding the most attention.
- **The Foggy Recall Pattern:** Word retrieval, recent recall, learning, or confidence in memory is the strongest concern.
- **The Unrestored Sleep Pattern:** Falling asleep, staying asleep, waking too early, daytime sleepiness, or non-restorative sleep is most prominent.
- **The Reinforcing Loop:** Two systems are close enough that they may be amplifying one another.
- **The Connected Brain Pattern:** Focus, memory, and sleep are all asking for attention.

A score identifies the loudest signal. It does **not** identify a diagnosis or prove the cause.

Build in layers, not piles

Layer	Purpose	Examples
Layer 1: Foundation	Strengthens the basic terrain on which the brain depends	Consistent sleep and wake timing, morning light, protein, fiber, hydration, movement, glucose stability, medication review, breathing evaluation

Layer 2: Core pathway support	Addresses the most likely contributor suggested by history, symptoms, and appropriate testing	Stress regulation, cognitive nutrition, gut restoration, glucose support, mitochondrial support, nutrient correction
Layer 3: Focused modifier	Adds one targeted tool for the symptom that remains most disruptive	GoodNight, Stress Essentials Calm, Uplift+, Brain Restore, Gluco IR, GI Restore, Mito Recharge

What Good, Better, and Best-Fit mean

Level	Meaning
Good	A simple, lower-complexity first step
Better	A more targeted combination for the central pattern
Best-Fit	A personalized, layered plan that combines a foundation with one core tool and, only when clearly indicated, one modifier

Best-Fit does not mean “more products.” It means the most thoughtful fit after screening for root contributors, interactions, duplication, and red flags.

The one-change rule

- Begin **one new product at a time**, usually 4–7 days apart.
- Start with the lowest practical complexity and follow the current label or clinician-directed plan.
- Track one or two meaningful outcomes for 30 days: time to fall asleep, nighttime awakenings, morning restoration, afternoon fog, task completion, word retrieval, or reliance on caffeine.
- If a plan is not helping, do not keep adding bottles. Revisit the pathway, diagnosis, adherence, dose, timing, and other contributors.
- Recheck any lab-guided intervention at an appropriate interval rather than supplementing indefinitely by assumption.

Safety comes first

Seek emergency care now

Call **911** for sudden confusion, trouble speaking, facial drooping, new one-sided weakness or numbness, sudden severe headache, seizure, loss of consciousness, chest pain, severe shortness of breath, or another possible emergency.

Do not drive if sleepiness, confusion, slowed reaction time, or episodes of nodding off make driving unsafe.

Call or text **988** in the United States for suicidal thoughts, immediate emotional crisis, or concern that someone may harm themselves.

Arrange prompt evaluation

Do not rely on supplements alone when there is:

- New or rapidly worsening memory loss

- Getting lost in familiar places, unsafe driving, missed medications, financial mistakes, or loss of daily independence
- New personality change, hallucinations, major balance problems, tremor, weakness, speech change, or severe headache
- Loud snoring with witnessed pauses, gasping, choking, morning headaches, uncontrolled hypertension, or severe daytime sleepiness
- Persistent depression, panic, trauma symptoms, mania, or markedly reduced need for sleep
- Severe or progressive fatigue, unexplained weight loss, fever, anemia symptoms, or symptoms beginning after a new medication

Obstructive sleep apnea cannot be diagnosed by a questionnaire or treated with a sleep supplement. The American Academy of Sleep Medicine recommends polysomnography or an appropriate home sleep apnea test when symptoms suggest meaningful risk; a negative or inconclusive home test may need follow-up polysomnography.

Review before supplementing

Work with a qualified clinician or pharmacist before starting a stack if you are pregnant, nursing, trying to conceive, preparing for surgery, under 18, living with kidney or liver disease, managing seizures or an autoimmune condition, or taking prescription medication.

Extra review is important with:

- Anticoagulants or antiplatelet drugs
- Diabetes medication or insulin
- Blood-pressure medication
- Antidepressants, stimulants, sedatives, mood stabilizers, or antipsychotics
- Thyroid medication
- Anticonvulsants
- Immunosuppressants
- Hormonal therapies

Supplements can interact with medications, increase bleeding risk, affect anesthesia, or create problems when many high-dose products are combined. Keep one updated list of every prescription, over-the-counter medication, powder, gummy, tea, botanical, and supplement you use.

The whole-person map

Focus, memory, and sleep may be influenced by several overlapping pathways:

1. **Sleep rhythm and restoration**
2. **Breathing and oxygen during sleep**
3. **Stress, trauma, and nervous-system load**
4. **Brain energy, focus, and neurotransmitter support**
5. **Memory, cell membranes, and neuroplasticity**
6. **Blood sugar, vascular health, and metabolic stability**
7. **Gut-brain signaling, digestion, and absorption**
8. **Mitochondrial energy, fatigue, and post-viral recovery**
9. **Inflammation, oxidative stress, and detoxification capacity**
10. **Nutrients, hormones, medications, and other reversible contributors**

These pathways are not diagnoses. They are organized places to ask better questions.

Pathway 1: Sleep rhythm and restoration

When this pathway fits

Consider this pathway when the dominant problem is difficulty falling asleep, frequent waking, early waking, an active mind at bedtime, inconsistent sleep timing, or waking unrefreshed without clear signs of sleep apnea.

Sleep supports attention, learning, emotional regulation, and the process that stabilizes new memories. Sleep deprivation is associated with poorer attention, judgment, working memory, and memory consolidation.

Start before supplements

- Use a stable wake time seven days per week.
- Get outdoor light soon after waking and dim light in the final one to two hours before bed.
- Keep caffeine early enough that it is not delaying sleep; examine total caffeine rather than only coffee.
- Separate alcohol from the bedtime routine; alcohol can make a person sleepy while fragmenting later sleep.
- Create a 30–60 minute “landing strip” rather than trying to go from full speed to sleep instantly.
- Address pain, reflux, hot flashes, restless legs, nighttime urination, medication timing, and environmental disruption.
- Use cognitive behavioral therapy for insomnia (CBT-I) when insomnia is chronic. AASM identifies multicomponent CBT-I as first-line care and notes that sleep hygiene alone is not an adequate stand-alone treatment.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	QuadMag in the evening, if magnesium is appropriate	A low-complexity mineral foundation for relaxation, muscle tension, and nervous-system support; the product supplies four magnesium forms.
Better	Magtein according to the current label instead of QuadMag, plus a consistent sleep rhythm	Fits the sleep–stress–cognition overlap; NutriDyn’s current directions split three capsules between morning and two hours before bed.
Best-Fit	CBT-I or targeted clinical care + one magnesium strategy + one symptom-specific modifier	Treats chronic insomnia as a behavioral and clinical pattern rather than expecting a supplement to override it.

Choose one modifier

Dominant expression	Consider	Guardrail
Daytime tension carries into bedtime	Stress Essentials Calm	Contains GABA 550 mg and L-theanine 200 mg per two capsules; do not automatically stack it with several other theanine/GABA products.
Sleep-onset difficulty is the main issue	GoodNight as a time-limited, clinician-reviewed trial	Contains tryptophan, lemon balm, theanine, hops, valerian, 5 mg melatonin, and 40 mg vitamin B6 per two capsules; review serotonergic drugs, sedatives, total B6, and next-day drowsiness.
Focus and memory are also prominent	Magtein	Use instead of another magnesium formula unless total magnesium has been deliberately reviewed.
Chronic insomnia persists	CBT-I referral or digital CBT-I when access is limited	This is more evidence-based than progressively adding sleep products.

Melatonin reality check

Melatonin can be useful for selected circadian problems, jet lag, shift work, or sleep-onset difficulty, but it is not a universal solution for chronic insomnia. Short-term safety is better established than long-term safety, and medication interactions matter, especially with blood thinners, anticonvulsants, diabetes drugs, sedatives, and immunosuppressants.

Your simplest start: Stabilize wake time and morning light. Choose one magnesium strategy. Add a single sleep modifier only if its ingredients match the actual problem.

Pathway 2: Breathing and oxygen

When this pathway fits

Prioritize this pathway with loud habitual snoring, gasping, choking, witnessed breathing pauses, morning dry mouth or headache, nighttime urination, unexplained hypertension, severe daytime sleepiness, or waking unrefreshed despite enough time in bed.

Sleep-related breathing disorders can affect attention, memory, processing speed, executive function, and daytime alertness. This is a **testing-and-treatment pathway**, not a sedative-supplement pathway.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Sleep evaluation; no sedating supplement stack until breathing risk is addressed	Prevents a nighttime product from masking sleepiness while the airway problem remains untreated.
Better	Appropriate PAP/oral-appliance/ENT/weight-management care + correction of documented nutrient insufficiency	Treats the breathing disorder while supporting relevant cardiometabolic contributors.
Best-Fit	Sleep-medicine plan + adherence support + individualized metabolic, blood-pressure, nasal, reflux, and weight strategy	Addresses the airway and the terrain that may worsen it; supplements remain adjunctive.

Adjuncts only after the airway plan

Secondary need	Consider	Important note
Low vitamin D documented by testing	A clinician-selected NutriDyn vitamin D formula	Dose to the person and lab, not to the symptom label.
Low fish intake or cardiometabolic support	Omega Pure Complete	Review anticoagulants, bleeding risk, fish allergy, and naturally occurring vitamins A and D.
Muscle tension or low magnesium intake	QuadMag	This does not treat apnea.
Glucose dysregulation or central weight gain	Use the blood-sugar pathway	Do not position glucose supplements as an airway treatment.

Avoid automatically adding GoodNight, valerian, high-dose melatonin, alcohol, or other sedating agents before possible apnea has been evaluated. Treating apnea may improve cognitive symptoms; reversible causes such as apnea, depression, thyroid disease, nutrient deficiency, and medication burden should be prioritized when cognitive problems are present.

Your simplest start: If breathing changes are possible, move sleep testing ahead of sleep products.

Pathway 3: Stress, trauma, and nervous-system load

When this pathway fits

Consider this pathway when racing thoughts, hypervigilance, irritability, panic, muscle tension, rumination, grief, trauma reminders, caregiving strain, or feeling “tired but wired” travel with poor focus and fragmented sleep.

The nervous system may be acting like a smoke alarm set too sensitively: it is trying to protect you, but it keeps sounding when restoration and clear thinking are needed.

Start before supplements

- Identify the difference between ordinary strain, an anxiety disorder, depression, and trauma symptoms.
- Use paced breathing, mindfulness, gentle movement, time outdoors, and supportive connection as daily nervous-system inputs, not as tests of willpower.
- Protect regular meals and sleep timing; hunger, alcohol, excess caffeine, and sleep loss can intensify the alarm signal.
- For PTSD, use trauma-informed evaluation and evidence-based treatment. The VA/DoD guideline favors individual trauma-focused therapies such as CPT, EMDR, and prolonged exposure over medication when these therapies are available and acceptable.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Stress Essentials Calm	Focused GABA/theanine support for feeling overstimulated or unable to downshift.
Better	Stress Essentials Calm + one magnesium strategy	Supports both the immediate “revved” feeling and the mineral/nervous-system foundation without building a large botanical stack.
Best-Fit	Trauma-informed or mental-health care + sleep restoration + one targeted nutritional modifier	Keeps supplements in an adjunctive role and addresses the source of persistent threat signaling.

When Uplift+ may fit

Consider **Uplift+ instead of, not on top of, multiple separate focus, creatine, theanine, rhodiola, vitamin D, zinc, magnesium, and selenium products** when stress overlaps with low motivation, mental fatigue, mood strain, and difficulty focusing. One full serving provides 5 g creatine, lion’s mane, rhodiola, L-theanine, saffron, vitamin D, magnesium, zinc, and selenium.

Uplift+ requires clinician review with antidepressants, stimulants, mood stabilizers, bipolar-spectrum history, mania or hypomania, anticoagulants, diabetes medication, mushroom allergy, pregnancy, breastfeeding, or a complex psychiatric history.

Your simplest start: Choose one calming tool, stabilize meals and sleep, and widen to trauma-informed or mental-health care when symptoms are persistent, intense, or life-limiting.

Pathway 4: Brain energy and focus

When this pathway fits

This pathway fits difficulty initiating tasks, distractibility, losing the thread of a conversation, rereading information, decision fatigue, dependence on caffeine or deadline pressure, and feeling mentally depleted after ordinary cognitive work.

Before assuming an attention disorder or searching for a stronger nootropic, review sleep, anxiety, depression, medication effects, hearing and vision, thyroid function, anemia, B12 status, glucose variability, pain, post-viral symptoms, and alcohol or cannabis use.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Creatine Powder plus adequate protein and hydration	A simple cellular-energy foundation; do not add separate creatine if using a full serving of Uplift+. Research suggests possible cognitive benefits in selected adults, but evidence for overall cognition and executive function remains mixed.
Better	Uplift+ as the single primary focus formula	Combines creatine with lion’s mane, rhodiola, theanine, saffron, and key micronutrients for the focus–energy–mood overlap.
Best-Fit	Correct the dominant contributor + choose Uplift+ or Brain Restore , not both initially	Prevents overlap and lets the response clarify whether the need is stress/energy/focus or memory/learning support.

Choosing the right cognitive formula

Pattern	Better fit	Why
Focus difficulty + stress sensitivity + mild mood strain + mental fatigue	Uplift+	Broad focus, energy, mood, and stress-resilience formula.
Memory, learning, recall, or processing concerns are central	Brain Restore or Brain Restore Powder	Provides bioactive B vitamins, acetyl-L-carnitine, alpha-GPC, uridine, and phosphatidylserine-related support.
Focus concerns plus poor sleep	Treat the sleep pathway first, then reassess	Sleep deprivation directly disrupts attention and working memory.
Focus concerns plus sudden onset or neurological signs	Medical evaluation	This is not a nootropic-selection problem.

Your simplest start: Improve sleep and meal stability, then choose creatine alone or one comprehensive formula, not three cognitive products at once.

Pathway 5: Memory and neuroplasticity

When this pathway fits

Consider this pathway when retrieving words, names, recent conversations, appointments, or learned information has become less dependable. Memory complaints do not automatically mean dementia, but new, progressive, function-changing, or family-noticed changes deserve evaluation.

A whole-person memory plan should consider reversible contributors before escalating supplements. Recommended cognitive workups commonly include medication review and assessment for sleep apnea, depression, thyroid dysfunction, vitamin B12 or folate deficiency, glucose disturbance, dehydration, infection, and other metabolic problems.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Omega Pure Complete when fish intake is low and there is no contraindication	Provides EPA, DHA, DPA, and marine lipid mediators as a brain-cell-membrane foundation.

Better	Magtein + one omega-3 product	Combines magnesium-based synaptic support with a lipid foundation while keeping the stack understandable.
Best-Fit	Medical/cognitive evaluation + Brain Restore + one appropriate foundation	Fits when memory, learning, or processing remains central after reversible contributors are addressed.

Keep expectations honest

Omega-3 research is mixed. Some reviews find small or domain-specific cognitive benefits, while a large systematic review of long-duration trials found little or no prevention of new cognitive impairment in older adults. Use omega-3s as a nutritional foundation when appropriate, not as a promise to prevent or reverse dementia.

Likewise, B12 is essential when deficiency or impaired absorption is present, but high-dose B12 is not a universal memory enhancer. A recent review found no significant general cognitive benefit from B12 supplementation in unselected populations, while supporting targeted assessment in people with deficiency or elevated homocysteine.

When Brain Restore is not enough

- Seek evaluation rather than adding products when there is:
- Progressive decline over months
 - Repetition of the same questions
 - Missed bills, medication errors, unsafe cooking, or getting lost
 - Personality or behavior change
 - New gait, balance, speech, vision, weakness, or tremor
 - A close family member expressing concern

The 2024 Lancet Commission reported that many dementia risks are modifiable across the life course, including hearing and vision loss, hypertension, diabetes, smoking, inactivity, depression, social isolation, high LDL cholesterol, and other factors. A brain-protection plan therefore reaches far beyond a “memory supplement.”

Your simplest start: Evaluate what is reversible, use one nutritional foundation, and escalate to a cognitive formula only when the pattern and safety review support it.

Pathway 6: Blood sugar and vascular stability

When this pathway fits

Consider this pathway with afternoon crashes, brain fog after high-carbohydrate meals, shakiness or irritability when meals are delayed, strong sugar cravings, central weight gain, elevated fasting glucose or A1c, hypertension, high triglycerides, or known insulin resistance.

Both low and high glucose can impair cognition, and diabetes medication itself can contribute if it creates hypoglycemia. The first intervention is meal structure, not a capsule trying to rescue an unstable eating pattern.

Build the meal foundation

- Include protein and fiber at the first meal.
- Avoid letting caffeine replace breakfast if that leads to a later crash.
- Pair carbohydrates with protein, fiber, and healthy fat.
- Walk or move after meals when medically appropriate.
- Protect sleep; poor sleep and glucose instability can reinforce one another.
- Measure the problem when indicated: fasting glucose, A1c, lipids, blood pressure, waist pattern, and medication-related lows.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Fiber with adequate water	Supplies 6 g dietary fiber per serving from several prebiotic and soluble-fiber sources; supports digestion and glucose levels already in the normal range.
Better	Fiber + clinician-guided Gluco IR	Adds a glucose-support formula containing chromium, Ceylon cinnamon, alpha-lipoic acid, bitter melon, gymnema, dihydroberberine, and other botanicals.
Best-Fit	Personalized nutrition, resistance and aerobic exercise, sleep treatment, medication review, and targeted Gluco IR only when appropriate	Treats metabolic health as a system rather than relying on a glucose-lowering stack.

Gluco IR guardrails

Gluco IR may add to the effects of glucose-lowering medication. Review pregnancy status, kidney and liver health, anticoagulants, planned surgery, and medication interactions before use. Evidence for supplements in established diabetes is inconsistent, and supplements should not replace proven nutrition, activity, monitoring, or medication care.

Your simplest start: Add protein and fiber before escalating to a multi-ingredient glucose product. Measure the response rather than judging by energy alone.

Pathway 7: Gut-brain signaling and absorption

When this pathway fits

Consider this pathway with constipation, diarrhea, bloating, reflux, food intolerance, irregular bowel habits, recent antibiotics, poor nutrient absorption, or a clear connection between digestive flares and mood, energy, sleep, or brain fog.

The gut can influence the brain through nutrient absorption, immune signaling, microbial metabolites, vagal pathways, and the simple fact that pain, reflux, and nighttime bowel symptoms disrupt sleep. A “gut-brain” plan should still identify common clinical problems such as celiac disease, inflammatory bowel disease, infection, medication effects, reflux, or significant malabsorption rather than labeling everything “leaky gut.”

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Fiber , introduced gradually with sufficient water	Supports bowel regularity and provides prebiotic substrates; avoid or modify when there is swallowing difficulty, obstruction risk, or a condition requiring fiber restriction.
Better	UltraBiotic Daily Multi-Strain or UltraBiotic Akkermansia Plus , selected by pattern	Daily Multi-Strain is a broad 30-billion-CFU formula; Akkermansia Plus is more targeted to gut-barrier, weight, and glucose metabolism goals.
Best-Fit	GI Restore under practitioner supervision + one carefully selected probiotic when indicated	Provides protein, amino acids, prebiotics, micronutrients, and antioxidants for GI function and integrity; avoid automatic stacking with multiple powders and multivitamins.

Choosing the probiotic

Dominant need	Better fit	Note
---------------	------------	------

Broad digestive and bowel support	UltraBiotic Daily Multi-Strain	Includes seven strains and <i>Saccharomyces boulardii</i> .
Glucose, weight, and gut-barrier pattern	UltraBiotic Akkermansia Plus	Includes live/pasteurized <i>Akkermansia</i> plus bifidobacteria, LGG, and <i>C. butyricum</i> .
Significant digestive impairment or suspected disease	Clinical evaluation before advanced stacking	Testing and diagnosis may matter more than another probiotic.

Your simplest start: Normalize meal timing, hydration, and bowel regularity. Add one probiotic only when its strain profile matches the goal.

Pathway 8: Mitochondrial energy and post-viral recovery

When this pathway fits

Consider this pathway when mental effort creates disproportionate fatigue, energy production feels unreliable, recovery after illness has stalled, or brain fog travels with muscle fatigue and reduced exercise tolerance.

First distinguish ordinary deconditioning from anemia, thyroid disease, sleep apnea, cardiopulmonary disease, medication effects, nutrient deficiency, post-viral illness, and post-exertional symptom exacerbation. If activity causes a delayed, multi-day crash, “push harder” may be the wrong message; pacing and medical evaluation become more important.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Creatine Powder	A simple ATP-buffering foundation for muscle and brain energy; introduce only when hydration and kidney context are appropriate.
Better	Mito Recharge instead of building a long list of separate mitochondrial nutrients	Combines CoQ10, acetyl-L-carnitine, taurine, NAC, alpha-lipoic acid, PQQ, B vitamins, magnesium, and polyphenols in one formula.
Best-Fit	Clinician-guided recovery plan + Mito Recharge + one secondary pathway tool	Add GI, omega-3, sleep, or glucose support only when that secondary pattern is clearly present.

Avoid duplication

Mito Recharge already contains B vitamins, magnesium, acetyl-L-carnitine, NAC, CoQ10, alpha-lipoic acid, selenium, vitamin E, green-tea-derived EGCG, and sulforaphane-related compounds. Review it against Detox, Brain Restore, Gluco IR, standalone antioxidants, B-complex products, and other mitochondrial formulas before combining them.

Your simplest start: Confirm that sleep, breathing, anemia, thyroid function, and meal intake are not the energy leak. Then choose creatine alone or one comprehensive mitochondrial formula.

Pathway 9: Inflammation and oxidative stress

When this pathway fits

Consider this pathway when cognitive or sleep complaints coexist with chronic inflammatory disease, post-viral symptoms, metabolic dysfunction, low omega-3 intake, smoking, significant environmental exposure, or persistent pain.

“Increasing antioxidants” is not automatically better. High-dose, overlapping antioxidants may interact with medication or cancer treatment, and inflammation often reflects an upstream driver that deserves direct care.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Omega Pure Complete with food	Provides EPA, DHA, DPA, and pro-resolving lipid mediators as a broad nutritional foundation.
Better	Sulforaphane Complex	A focused broccoli-sprout and selenium formula supporting Nrf2-related antioxidant and phase II detoxification pathways.
Best-Fit	Omega Pure Complete + Sulforaphane Complex , only after overlap and medication review	Pairs membrane/lipid support with endogenous antioxidant-response support without automatically adding a large antioxidant stack.

Guardrails

- Choose one omega-3 product; do not combine several fish oils by default.
- Review bleeding risk, surgery timing, fish allergy, and total vitamins A and D.
- Review total selenium before combining Sulforaphane Complex with Uplift+, Mito Recharge, multivitamins, or other selenium products.
- Treat smoking, periodontal disease, infection, uncontrolled glucose, obesity, poor sleep, and sedentary behavior as upstream inflammatory contributors.

Your simplest start: Use food, sleep, movement, oral health, and smoking cessation as the foundation. Add one targeted anti-inflammatory or Nrf2-support tool, not a shelf of antioxidants.

Pathway 10: Detoxification and exposure resilience

When this pathway fits

This pathway may be relevant with meaningful occupational or environmental exposure history, poor dietary quality, constipation, high alcohol intake, medication burden, or a clinician-identified need for liver, kidney, antioxidant, or elimination support.

“Detox” should mean supporting the body’s normal processing and elimination systems, not claiming that vague symptoms prove toxin accumulation. Begin with source reduction, bowel regularity, hydration, adequate protein, micronutrients, sleep, and liver/kidney assessment where indicated.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Fiber + hydration + exposure reduction	Supports regular elimination without beginning an intensive powder program.
Better	Sulforaphane Complex	Focused phase II and antioxidant-response support with a comparatively simple ingredient list.
Best-Fit	Practitioner-supervised Detox functional-food powder for a defined goal and time period	Provides protein, fiber, amino acids, NAC, milk thistle, turmeric, quercetin, green tea, TMG, and micronutrient cofactors; requires a full overlap review.

Do not use detoxification to delay diagnosis

Persistent cognitive change, jaundice, dark urine, unexplained weight loss, severe fatigue, neuropathy, tremor, kidney dysfunction, or suspected heavy-metal exposure requires appropriate medical testing. Do not begin chelation or high-dose “binding” products based only on nonspecific symptoms.

Your simplest start: Reduce the exposure, support bowel regularity, and define what the intervention is intended to accomplish before choosing a detox product.

Pathway 11: Nutrients, hormones, and medications

When this pathway fits

This is the “check what can be corrected” pathway. It matters with restrictive diets, bariatric surgery, long-term metformin or acid-suppressing medication, thyroid symptoms, anemia risk, heavy menstrual bleeding, menopause symptoms, low libido, chronic kidney or liver disease, or a recent medication change.

A standard cognitive evaluation may include CBC, metabolic panel, thyroid testing, B12, folate, glucose assessment, and other tests selected by history. Medication review is equally important because sedatives, anticholinergic drugs, some antihistamines, certain antidepressants, blood-pressure-related orthostasis, and glucose-lowering medication can affect cognition.

Good, Better, Best-Fit

Level	Suggested plan	Why it fits
Good	Food-first nutrient review + medication/supplement inventory	Often reveals missed meals, low protein, low fiber, excess caffeine, alcohol, duplicate nutrients, or a medication-timing problem.
Better	Correct documented deficiencies with a targeted product	Examples include B12 Pro for a substantiated B12 need or an individualized vitamin D plan, not blanket high-dose supplementation.
Best-Fit	Lab-guided correction + treatment of the underlying cause + repeat measurement	Addresses why a deficiency exists and confirms whether the plan worked.

High-priority questions

- **B12:** Is intake low, or is absorption impaired by metformin, acid suppression, pernicious anemia, gastric surgery, or GI disease?
- **Iron:** Is ferritin low because of bleeding, low intake, or malabsorption? Do not add iron automatically.
- **Thyroid:** Is there a true thyroid disorder requiring medical treatment rather than “thyroid support” supplements?
- **Vitamin D:** Is the level low, and what dose is appropriate for body size, season, kidney function, calcium balance, and current intake?
- **Hormones:** Are perimenopause, menopause, testosterone deficiency, or another endocrine disorder contributing? Supplements are not a substitute for appropriate endocrine or gynecologic evaluation.
- **Medication burden:** Did symptoms begin after starting, stopping, or changing a prescription, over-the-counter sleep aid, antihistamine, cannabis product, or alcohol pattern?

Your simplest start: Test and review before treating. Correct what is actually low or disrupted rather than guessing from symptoms.

Matching the assessment pattern

Scattered Focus Pattern

Level	Plan
Good	Sleep and meal-stability review + Creatine Powder
Better	Uplift+ as the single main focus formula after medication and mood screening
Best-Fit	Correct the dominant contributor + Uplift+ or Brain Restore + one foundation such as omega-3 or Magtein

Choose Uplift+ when stress, low motivation, mental fatigue, and focus difficulty overlap. Choose Brain Restore when learning, recall, and processing are more central. Treat poor sleep, apnea risk, depression, glucose instability, thyroid dysfunction, anemia, and medication effects before labeling the problem as “lack of focus.”

Foggy Recall Pattern

Level	Plan
Good	Medical/reversible-cause review + Omega Pure Complete when appropriate
Better	Omega Pure Complete + Magtein
Best-Fit	Cognitive evaluation + Brain Restore + one carefully selected foundation

Do not use a supplement trial to postpone evaluation of progressive memory change, loss of function, or neurological signs.

Unrestored Sleep Pattern

Level	Plan
Good	Stable wake time, morning light, and one magnesium strategy
Better	Magtein or QuadMag + Stress Essentials Calm when tension is central
Best-Fit	Screen for apnea and restless legs; use CBT-I for chronic insomnia; add GoodNight only as a time-limited, screened modifier when sleep onset is the actual target

Do not stack GoodNight, additional melatonin, several magnesium products, Calm, Relax, valerian, antihistamine sleep aids, and alcohol.

Reinforcing Loop

Loop	First interruption point	Possible modifier
Sleep + focus	Treat sleep timing, insomnia, and apnea risk first	Magtein or a single sleep modifier
Sleep + memory	Protect sleep and assess reversible memory contributors	Omega Pure Complete or Brain Restore after evaluation
Focus + memory	Review sleep, mood, medications, hearing/vision, glucose, thyroid, B12, and anemia	Uplift+ or Brain Restore based on expression

Connected Brain Pattern

When all three domains are elevated, do not create three separate stacks. Begin with the highest-leverage pathway:

1. Rule out urgent neurological change and sleep-disordered breathing.
2. Review medication, alcohol/cannabis, mood, trauma, pain, and sleep timing.
3. Assess glucose, thyroid, CBC/iron context, B12/folate, metabolic health, and other labs suggested by history.

4. Choose **one foundation** and **one primary formula**.
5. Add a modifier only after the first two layers have been tolerated and tracked.

Product selection matrix

Product	Best-fit role	Major overlap to review
QuadMag	General magnesium and relaxation foundation	Other magnesium formulas
Magtein	Focus–memory–stress–sleep overlap	QuadMag, other magnesium products
Stress Essentials Calm	Daytime tension and difficulty downshifting	Other GABA/theanine products, Uplift+, sedatives
GoodNight	Selected sleep-onset pattern	Melatonin, B6, theanine, tryptophan/serotonergic products, sedatives
Uplift+	Focus + mental fatigue + mild mood/stress overlap	Creatine, vitamin D, magnesium, zinc, selenium, theanine, rhodiola, saffron, mushroom products
Brain Restore	Memory, learning, recall, and processing support	B vitamins, acetyl-L-carnitine, choline products, other cognitive formulas
Omega Pure Complete	Broad lipid, neurological, and inflammatory foundation	Other fish oils; vitamins A and D; anticoagulants
Fiber	Bowel regularity, prebiotic support, glucose/weight foundation	Other fiber powders; medication timing; swallowing risk
Gluco IR	Clinician-guided glucose support	Diabetes drugs, chromium, alpha-lipoic acid, green tea, cinnamon, berberine-like products
UltraBiotic Daily Multi-Strain	Broad probiotic support	Other probiotics; immune status
UltraBiotic Akkermansia Plus	Gut-barrier + glucose/weight pattern	Other probiotics; immune status
GI Restore	Practitioner-guided GI nutrition and barrier support	Multivitamins, protein powders, vitamin A, GI powders
Mito Recharge	Broad mitochondrial-energy formula	B-complex, magnesium, NAC, CoQ10, ALCAR, ALA, selenium, vitamin E, green tea, sulforaphane
Sulforaphane Complex	Focused Nrf2/phase II support	Selenium and other broccoli/sulforaphane products
Detox	Time-limited, supervised functional-food detoxification support	Multivitamins, protein, fiber, NAC, turmeric, quercetin, green tea, methylfolate, milk thistle

B12 Pro	Documented or strongly supported B12 need	Other B12/folate products; cause of deficiency
----------------	---	--

Product formulations and directions can change. Verify the current NutriDyn label at the time of recommendation.

Product stacking rules

Do	Do not
Choose one magnesium strategy	Do not begin QuadMag and Magtein together by default
Choose Uplift+ or Brain Restore as the initial primary cognitive formula	Do not start both at the same time
Choose one omega-3 product	Do not combine several fish oils without calculating the total dose and vitamins A/D
Use GoodNight as a focused modifier	Do not stack it automatically with melatonin, sedating herbs, alcohol, or over-the-counter sleep aids
Use one probiotic matched to the goal	Do not assume more strains and more CFUs are always better
Treat Mito Recharge or Detox as comprehensive formulas	Do not casually add B-complex, NAC, ALA, CoQ10, selenium, green tea, and multiple antioxidant products on top
Use Gluco IR with monitoring and medication review	Do not add it blindly to insulin or glucose-lowering medication
Separate fiber from medications when required by the medication label or pharmacist	Do not let a fiber supplement reduce medication absorption
Track the response to each addition	Do not change several products at once and then guess what helped or caused a side effect

The simple three-part framework

When budget, energy, or decision fatigue is real, use this model:

Step	Choose one	Examples
1. Foundation	The terrain that needs basic reinforcement	Sleep timing, protein, Fiber, QuadMag, Magtein, Omega Pure Complete, creatine
2. Primary pathway tool	The formula that best matches the central pattern	Uplift+, Brain Restore, Gluco IR, GI Restore, Mito Recharge
3. Modifier	One focused tool for the remaining symptom	Stress Essentials Calm, GoodNight, Sulforaphane Complex, a selected probiotic

A person with poor sleep, daytime tension, and scattered focus might begin with stable sleep timing and Magtein, then add Stress Essentials Calm if tension remains. They would not automatically add GoodNight, extra melatonin, QuadMag, Uplift+, Brain Restore, and a B-complex.

A person with brain fog, constipation, post-meal crashes, and elevated A1c might begin with protein-containing meals, Fiber, walking after meals, and appropriate testing. Gluco IR could then be considered with medication review. A cognitive stimulant stack would not be the first move.

A 30-day learning plan

Days 1–7: Establish the baseline

Track without trying to be perfect:

- Bedtime, estimated sleep onset, awakenings, final wake time
- Snoring/gasping reports and daytime sleepiness
- Morning restoration from 0–10
- Focus from 0–10 during the most demanding part of the day
- One real-world memory marker
- Caffeine and alcohol timing
- Meals, protein, fiber, and notable glucose crashes
- Bowel pattern
- Stress load and movement
- Medication and supplement timing

Days 8–14: Add one foundation

Choose one:

- Stable wake time and morning light
- Fiber and meal structure
- One magnesium strategy
- Omega-3 support
- Creatine
- A clinician-directed nutrient correction

Days 15–21: Review the signal

Ask:

- Is sleep more restorative?
- Is task initiation easier?
- Is recall more dependable?
- Is daytime sleepiness improving or worsening?
- Did any GI, mood, headache, vivid-dream, bleeding, dizziness, or glucose symptom appear?

If the answer is unclear, do not add another product yet.

Days 22–30: Add one modifier only if needed

Select the modifier that matches the remaining problem, not the most exciting product.

At day 30, ask: **“Did this make my life more workable?”** If not, widen the evaluation rather than enlarging the stack.

Suggested clinician review

The following are not mandatory for every person, but they provide a practical whole-person menu for individualized evaluation:

- Detailed onset, timeline, progression, and impact on daily function
- Medication, over-the-counter, cannabis, alcohol, caffeine, and supplement review
- Sleep schedule, insomnia pattern, STOP-Bang or other apnea screening followed by appropriate testing when indicated
- Depression, anxiety, trauma, ADHD, and bipolar-spectrum screening where relevant
- CBC; ferritin and iron studies when indicated
- Comprehensive metabolic panel
- TSH with additional thyroid testing when clinically appropriate
- Vitamin B12 with methylmalonic acid or homocysteine when indicated; folate as appropriate

- Fasting glucose, A1c, fasting lipids, blood pressure, and cardiometabolic risk assessment
- Vitamin D when risk or clinical context supports testing
- Hearing and vision assessment
- Neurologic examination and cognitive screening when memory change is concerning
- Menopause, testosterone, menstrual bleeding, or other endocrine evaluation based on history
- GI evaluation for malabsorption, celiac disease, inflammatory symptoms, or persistent bowel change
- Post-viral and post-exertional symptom assessment where relevant
- Occupational and environmental exposure history

The assessment score should guide the conversation, not dictate the laboratory panel or supplement protocol.

A final, honest word

Your brain is not a separate appliance sitting above the rest of your body. It is affected by the air you breathe at night, the steadiness of your blood sugar, the safety signals carried by your nervous system, the nutrients you absorb, the medications you take, the energy your cells can produce, the health of your blood vessels, and the quality of your relationships and daily rhythms.

That is hopeful, because it gives more than one place to begin.

The right plan may include a supplement. It may also include a sleep study, CBT-I, trauma-focused therapy, medication adjustment, hearing support, resistance training, glucose care, thyroid treatment, or simply a more stable morning and evening rhythm.

Start where the signal is loudest. Start simply. Let the plan teach you something. If symptoms are worsening, persistent, or making your world smaller, widen the circle of care.

Educational disclaimer

This guide is for educational purposes only and does not establish a clinician-patient relationship or replace individualized medical, psychiatric, neurological, or sleep care. It does not diagnose or treat insomnia, sleep apnea, ADHD, anxiety, PTSD, depression, cognitive impairment, dementia, diabetes, thyroid disease, nutrient deficiency, long COVID, gastrointestinal disease, toxic exposure, or any other condition.

Nutritional supplements are not intended to diagnose, treat, cure, or prevent disease. Supplement selection, dose, timing, duration, interactions, contraindications, and monitoring must be individualized. Product formulations and label directions may change; always verify the current label. Consult a qualified clinician or pharmacist before use, especially when taking medication, managing a health condition, preparing for surgery, or during pregnancy or breastfeeding.